Molecular and Cellular Biochemistry **212:** 237–239, 2000.

Index to Volume 212

Aikawa R, Komuro I, Nagai R, Yazaki Y: Rho plays an important role in angiotensin II-induced hypertrophic responses in cardiac myocytes 177–182
Ali MS, *see* Sayeski PP *et al*
Arriagada C, *see* Dagnino-Subiabre A *et al*

Bar-Eli M, *see* Jean D
Benkel M, *see* Rupp H *et al*
Bernstein KE, *see* Sayeski PP *et al*
Blaschak CM, *see* Vyas SJ *et al*
Brasier AR, Jamaluddin M, Han Y, Patterson C, Runge MS: Angiotensin II induces gene transcription through cell-type-dependent effects on the nuclear factor-κB (NF-κB) transcription factor 155–169
Brenner S, *see* Riese U *et al*
Brüne B, *see* von Knethen A

Carrière S, *see* Chan JSD *et al*
Caviedes P, *see* Dagnino-Subiabre A *et al*
Caviedes R, *see* Dagnino-Subiabre A *et al*
Chan JSD, Wang T-T, Zhang S-L, Chen X, Carrière S: Catecholamines and angiotensinogen gene expression in kidney proximal tubular cells 73–79
Chen Q, *see*, Tamura K *et al*
Chen X, *see* Chan JSD *et al*
Chen YE, *see* Tamura K *et al*
Chinoy MR, *see* Vyas SJ *et al*
Cho YS, *see* Cho-Chung YS *et al*
Cho-Chung YS, Park YG, Nesterova M, Lee YN, Cho YS: CRE-decoy oligonucleotide-inhibition of gene expression and tumor growth 29–34
Collins T, *see* Khachigian LM *et al*
Cui Y, *see* Narayanan CS *et al*

Dagnino-Subiabre A, Marcelain K, Arriagada C, Paris I, Caviedes P, Caviedes R, Segura-Aguilar J: Angiotensin receptor II is present in dopaminergic cell line of rat substantia nigra and it is down regulated by aminochrome 131–134
Dhalla NS, *see* Takeo S *et al*
Döcke W-D, *see* Riese U *et al*
Dzau VJ, *see* Tamura K *et al*

Fujiyama S, *see* Matsubara H *et al*

Han Y, *see* Brasier AR *et al*
Haus-Seuffert P, Meisterernst M: Mechanisms of transcriptional activation of cAMP-responsive element-binding protein CREB 5–9
Hayashi H, *see* Takeo S *et al*
Hong SJ, *see* Lim J *et al*
Horiuchi M, *see* Tamura K *et al*

Iba S, *see* Matsubara H *et al*
Iwasaka T, *see* Matsubara H *et al*

Jackson EK, *see* Vyas SJ *et al*
Jamaluddin M, *see* Brasier AR *et al*
Jean D, Bar-Eli M: Regulation of tumor growth and metastasis of human melanoma by the CREB transcription factor family 19–28

Khachigian LM, Takuwa Y, Collins T: Mechanisms of angiotensin II-induced platelet-derived growth factor gene expression 183–186
Kim K-S, *see* Lim J *et al*
Komuro I, *see* Aikawa R *et al*
Koyama Y, *see* Matsubara H *et al*
Kumar A, *see* Narayanan CS *et al*
Kumar S, *see* Narayanan CS *et al*

Lee YN, *see* Cho-Chung YS *et al*
Li J, *see* Wang DH
Lim J, Yang C, Hong SJ, Kim K-S: Regulation of tyrosine hydroxylase gene transcription by the cAMP-signaling pathway: Involvement of multiple transcription factors 51–60

Maisch B, *see* Rupp H *et al*
Marcelain K, *see* Dagnino-Subiabre A *et al*
Masaki H, *see* Matsubara H *et al*
Mascareno E, Siddiqui MAQ: The role of Jak/STAT signaling in heart tissue renin-angiotensin system 171–175
Matsubara H, Moriguchi Y, Mori Y, Masaki H, Tsutsumi Y, Shibasaki Y, Uchiyama-Tanaka Y, Fujiyama S, Koyama Y, Nose-Fujiyama A, Iba S, Tateishi E, Iwasaka T: Transactivation of EGF receptor induced by angiotensin II regulates fibronextin and TGF-β gene expression via transcriptional and post-transcriptional mechanisms 187–201
Meisterernst M, *see* Haus-Seuffert P
Meloche S, Pelletier S, Servant MJ: Functional cross-talk between the cyclic AMP and Jak/STAT signaling pathways in vascular smooth muscle cells 99–109
Mohuczy D, Phillips MI: Designing antisense to inhibit the renin-angiotensin system 145–153
Mori Y, *see* Matsubara H *et al*
Moriguchi Y, *see* Matsubara H *et al*
Müller FU, Neumann J, Schmitz W: Transcriptional regulation by cAMP in the heart 11–17
Murphy TJ, *see* Wang X

Nagai R, *see* Aikawa R *et al*
Narayanan CS, Cui Y, Kumar S, Kumar A: cAMP increases the expression of human angiotensinogen gene through a combination of cyclic AMP responsive element binding protein and a liver specific transcription factor 81–90
Nasa Y, *see* Takeo S *et al*
Nesterova M, *see* Cho-Chung YS *et al*
Neumann J, *see* Müller FU *et al*
Nose-Fujiyama A, *see* Matusbara H *et al*
Nyui N, *see* Tamura K *et al*

Oppert M, *see* Riese U *et al*

Park YG, *see* Cho-Chung *et al*
Paris I, *see* Dagnino-Subiabre A *et al*
Patterson C, *see* Brasier AR, *et al*
Pelletier S, *see* Meloche S *et al*
Phillips MI, *see* Mohuczy D
Platzer C, *see* Riese U *et al*
Pratt RE, *see* Tamura K *et al*
Prösch S, *see* Riese U *et al*

Reinke P, *see* Riese U *et al*
Ren Z, *see* Sieber-Blum M
Riese U, Brenner S, Döcke W-D, Prösch S, Reinke P, Oppert M, Volk H-D, Platzer C: Catecholamines induce IL-10 release in patients suffering from acute myocardial infarction by transactivating its promoter in monocyte but not in T-cells 45–50
Runge MS, *see* Brasier AR *et al*
Rupp H, Benkel M, Maisch B: Control of cardiomyocyte gene expression as drug target 135–142
Rupp H, *see* Turcani M

Sayeski PP, Ali MS, Bernstein KE: The role of Ca^{2+} mobilization and heterotrimeric G protein activation in mediating tyrosine phosphorylation signaling patterns in vascular smooth muscle cells 91–98
Schmitz W, *see* Müller FU *et al*
Segura-Aguilar J, *see* Dagnino-Subiabre A *et al*
Servant MJ, *see* Meloche S *et al*
Shibasaki Y, *see* Matsubara H *et al*
Siddiqui MAQ, *see* Mascareno E
Sieber-Blum M, Ren Z: Norepinephrine transporter expression and function in noradrenergic cell differentiation 61–70

Takasaki I, *see* Tamura K *et al*
Takeo S, Nasa Y, Tanonaka K, Yamaguchi F, Yabe K-I, Hayashi H, Dhalla NS: Role of cardiac renin-angiotensin system in sarcoplasmic reticulum function and gene expression in the ischemic-reperfused heart 227–235
Takuwa Y, *see* Khachigian LM *et al*
Tamura K, Chen YE, Chen Q, Nyui N, Horiuchi M, Takasaki I, Tamura N, Pratt RE, Dzau VJ, Umemura S: Expression of renin-angiotensin system and extracellular matrix genes in cardiovascular cells and its regulation through AT1 receptor 203–209
Tamura N, *see* Tamura K *et al*
Tanonaka K, *see* Takeo S *et al*
Tateishi E, *see* Matsubara H *et al*
Tsutsumi Y, *see* Matsubara H *et al*
Turcani M, Rupp H: Bradykinin (B_2) independent effect of captopril on the development of pressure overload cardiac hypertrophy 219–225

Uchiyama-Tanaka Y, *see* Matsubara H *et al*
Umemura S, *see* Tamura K *et al*

Volk H-D, *see* Riese U *et al*
von Knethen A, Brüne B: Attenuation of macrophage apoptosis by the cAMP-signaling system 35–43
Vyas SJ, Blaschak CM, Chinoy MR, Jackson EK: Angiotensin II-induced changes in G-protein expression and resistance of renal microvessels in young genetically hypertensive rats 121–129

Wang DH, Li J: Regulation of angiotensin II receptors in the medullary thick ascending limb 211–218
Wang T-T, *see* Chan JSD *et al*
Wang X, Murphy TJ: The inducible cAMP early repressor ICERIIγ inhibits CREB and AP-1 transcription but not AT_1 receptor gene expression in vascular smooth muscle cells 111–119

Yabe K-I, *see* Takeo S *et al*
Yamaguchi F, *see*, Takeo S *et al*
Yang C, *see* Lim J *et al*
Yazaki Y, *see* Aikawa R *et al*

Zhang S-L, *see* Chan JSD *et al*